EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|------------------------|---------------------|---------|---------------------|
| L1 | 2 | "3957144".pn. or "6158295".pn. | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:16 |
| L2 | 2269 | jack with sleeve | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:17 |
| L3 | 375099 | actuation rod or actuator | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:17 |
| L4 | 293 | 2 and 3 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:17 |
| L5 | 9751 | drive screw | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:17 |
| L6 | 12 | 4 and 5 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:17 |
| L7 | 10747 | cavity with 3 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:19 |
| L8 | 395401 | thread or screw thread | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:19 |
| L9 | 1800 | 7 and 8 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:19 |
| L10 | 9751 | drive screw | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:19 |
| L11 | 29 | 9 and 10 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:19 |
| L13 | 258 | 204/243.1.ccls. | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:38 |
| L14 | 519960 | jack or actuation rod or actuation device or actuator | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:38 |
| L15 | 12 | 13 and 14 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:38 |

| L16 | 150616 | drive motor | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:41 |
|-----|--------|---|------------------------|-----|----|---------------------|
| L17 | 33178 | 3 and 16 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:41 |
| L18 | 42531 | drive wheel | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:41 |
| L19 | 3180 | 17 and 18 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:42 |
| L20 | 3008 | worm screw | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:42 |
| L21 | 30 | 19 and 20 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:42 |
| L22 | 1 | (center adj2 center) with (drive wheel and worm screw) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:47 |
| L23 | 11 | (axis or axial) with (drive wheel and worm screw) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:47 |
| L24 | 13 | lifting adj1 lowering anodes | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:52 |
| L25 | 3 | anode frame with jack | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:54 |
| L26 | 2 | drive screw with axial cavity | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:56 |
| L27 | 3 | ((center adj2 center) with distance) same (drive wheel and screw) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 13:58 |
| L28 | 79826 | (center adj2 center) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:00 |
| L29 | 0 | (center to center) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:00 |
| L30 | 21285 | (center adj1 center) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:00 |
| L31 | 858482 | worm gear or worm screw or screw or worm | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:01 |

| L32 | 5090 | 30 and 31 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:01 |
|-----|---------|--|------------------------|-----|----|---------------------|
| L33 | 1697128 | drive wheel or drive mechanism or drive device or drive | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:02 |
| L34 | 2544 | 32 and 33 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:02 |
| L35 | 380031 | actuation rod or actuator or actuation device or actuation means | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:02 |
| L36 | 827 | 34 and 35 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:03 |
| L37 | 71007 | sleeve with opening | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:03 |
| L38 | 28 | 36 and 37 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:03 |
| L39 | 11551 | jack with (sleeve or housing or receptacle) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:08 |
| L40 | 1451 | (actuation rod or actuator or actuation device or actuation means) with (cavity or receptacle or vessel or container) same (thread or screw thread or screw or thread pitch) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:11 |
| L41 | 18 | 39 and 40 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:11 |
| L42 | 2151 | jack with attachment | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:14 |
| L43 | 8375562 | @pd<"20050714" | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:14 |
| L44 | 1663 | 42 and 43 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:15 |
| L45 | 150616 | drive motor | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:15 |
| L46 | 99 | 44 and 45 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:15 |

| L47 | 1186254 | casing or housing | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:15 |
|-----|---------|--------------------------------------|------------------------|-----|----|---------------------|
| L48 | 63 | 46 and 47 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:16 |
| L49 | 1697128 | drive screw or drive | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:16 |
| L50 | 63 | 48 and 49 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:16 |
| L51 | 2900 | drive wheel with (tooth\$2 or teeth) | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:17 |
| L52 | 0 | 50 and 51 | US- PGPUB; USPAT | ADJ | ON | 2008/12/03 14:17 |

^{12/3/08 2:27:24} PM

C:\ Documents and Settings\ bbell\ My Documents\ EAST\ workspaces\ default.wsp